

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions of claims in the application:

Listing of Claims:

1. (Currently Amended) A system for providing program criteria comprising:

a server computer storing a plurality of tokens, at least two of the plurality of tokens ~~associated with each~~ containing an XML formatted block of data identifying a disparate one of at least two segments of a predetermined one of an audio and visual program;

wherein the server is programmed to provide at least one token to a remote computer as an e-mail attachment based on received selection criteria, the remote computer utilizes at least two tokens to selectively combine at least two program segments based at least in part upon viewing characteristics of one or more users at the remote computer, the viewing characteristics comprising at least one of an age of the one or more users, time of day and type of show being viewed.

2. (Original) The system of claim 1, wherein the server is programmed to transmit a message to the remote computer based on the selection criteria, the message including the at least one token.

3. (Original) The system of claim 2, wherein the message is a text email message, the token being operatively associated with the email message.

4. (Cancelled) ~~The system of claim 3, wherein the token is an attachment to the email message.~~

5. (Original) The system of claim 1, wherein the server computer is further programmed to store corresponding program data as an attribute of each token, the server providing corresponding program data with each token.
6. (Original) The system of claim 1, wherein a program database is stored at the server computer, the program database including the plurality of tokens identifying a plurality of at least one of audio and visual programs.
7. (Original) The system of claim 1 wherein, in response to a translation request, the server is programmed to translate a token into a useable format for programming a recording system to record a predetermined at least one of an audio and visual program in a tuning space associated with the recording system.
8. (Original) The system of claim 7, wherein the server is further programmed to select a tuning space based on identifying data provided with the translation request.
9. (Original) The system of claim 8, wherein the server stores a unique identifier for each recording system registered with the server, each unique identifier being associated with tuning space information for each respective recording system.
10. (Original) The system of claim 9, wherein the useable format includes programming data identifying at least two of date, channel, time, and duration associated with each token provided with the translation request.
11. (Original) The system of claim 1, wherein the server is further programmed to store the plurality of tokens as part of a programmable database, the server updating the programmable database in response to receiving an update request at the server.

12. (Original) The system of claim 11, wherein the server is further programmed to notify the remote computer in response to receiving an update request that modifies program criteria for a program represented by the at least one token.

13. (Original) The system of claim 12, wherein the server stores a different identifiable characteristic for each token obtained from the server, the server employing an identifiable characteristic to notify the remote computer of changes in program criteria for a program represented by the at least one token.

14. (Original) The system of claim 13, wherein the server is further programmed to provide at least one of a token and updated programming data to the remote computer in response to receiving an update request that modifies program criteria for a program represented by the at least one token previously provided to the remote computer.

15. (Currently Amended) A computer-readable medium encoded with computer-executable components being executed by a processor, comprising:

a token database component for storing tokens, each token representing a different segment of ~~one of~~ at least one of an audio ~~and or~~ visual program that a first user has indicated a desire to record; and

a message component with which at least one token is transmitted from the first user to a second user in response to a request for the at least one token; ~~and wherein~~

the at least one token is utilized to program a recording device associated with the second user to record the audio or audio/visual program represented by the token.

~~a recording component that utilizes at least two tokens each associated with at least two program segments of the one of the at least one audio and visual program to selectively combine the at least two program segments based at least in part upon viewing characteristics of a user of a remote computer, the viewing characteristics comprising at least one of age of the user, time of day and type of show being viewed.~~

16. (Original) The computer-readable medium of claim 15 having further computer-executable components comprising a user interface component for receiving selection criteria having program characteristics indicative of at least one of an audio and visual program.

17. (Original) The computer-readable medium of claim 16 having further computer-executable components comprising a search component for locating at least one token from the token database component based on the selection criteria.

18. (Original) The computer-readable medium of claim 15 having further computer-executable components comprising a program database component that includes the token database component, the program database component associating at least one attribute with each token, the at least one attribute being provided with the at least one token.

19. (Original) The computer-readable medium of claim 15 having further computer-executable components comprising a translation component for, in response to a translation request, translating a token into programming data having a useable format for programming a recording system to record a predetermined at least one of an audio and visual program in a tuning space associated with the recording system.

20. (Original) The computer-readable medium of claim 19 wherein translation component includes further computer executable instructions for selecting a tuning space based on identifying data provided with the translation request.

21. (Original) The computer-readable medium of claim 19 wherein the token database component comprises further computer-executable components for updating the programming data in response to receiving an update request.

22. (Original) The computer-readable medium of claim 15 having further computer-executable components comprising a notification component for notifying a remote computer in response to receiving an update request that results in modifying program criteria for a program represented by the at least one token.

23. (Original) The computer-readable medium of claim 22, wherein the notification component comprises further computer-executable components for providing at least one of a token and updated programming data to the remote computer in response to receiving an update request that modifies program criteria for a program represented by a token previously provided to the remote computer.

24. (Currently Amended) A system for providing program criteria comprising:

means for storing at least ~~two~~ one token[[s]] containing an XML formatted block of data each representing ~~one of at least two program segments of~~ one of a plurality of audio and/or visual programs;

means for providing a selected token ~~data~~ to a first user in response to a query from the first user identifying program selection criteria; ~~and~~

means for transmitting a copy of the token from the first user to a second user;

means for utilizing the token to program a recording device associated with the first user to record the audio/visual program; and

means for utilizing the copy of the token to program a recording device associated with the second user to record the audio/visual program represented by the token.

~~means for utilizing the at least two tokens to selectively combine the at least two program segments based at least in part upon viewing characteristics of a client system, the viewing characteristics comprising at least one of age of a viewer, time of day and type of show being viewed.~~

25. (Original) The system of claim 24 further including means for updating the token storing means in response to an update request.

26. (Original) The system of claim 25 further includes means for providing at least one of a token and updated programming data to a remote computer in response to receiving an update request that modifies program criteria for a program represented by a token previously provided to the remote computer.

27. (Original) The system of claim 24 further including means for translating a token into a useable format for programming a remote recording system to record a predetermined at least one of an audio and visual program in a tuning space associated with the recording system.

28. (Original) The system of claim 24, wherein the means for providing selected token data further includes means to send a message a remote computer based on the query, the message including selected token data.

29. (Original) The system of claim 24, wherein the message is a text email message, the selected token being operatively associated with the email message.

30. (Currently Amended) A method for providing program criteria to facilitate programming of a recording system, the method comprising:

sending at least two tokens, each ~~associated with~~ containing an XML formatted packet of data identifying a disparate one of at least two program segments of ~~a specific one of~~ an audio ~~[[and]]~~ or visual program, from a first computer to a second computer as e-mail attachments based on selection criteria received at the first computer; and

utilizing the at least two tokens to selectively combine the at least two program segments based at least in part upon viewing characteristics of one or more users of the second computer, the viewing characteristics comprising at least one of age of the one or more users, time of day and type of show being viewed.

31. (Original) The method of claim 30 further including searching a program database for the token based on the selection criteria.

32. (Currently Amended) A method for providing program criteria to facilitate programming of a recording system that, the method comprising

storing ~~at least two~~ a plurality of tokens in a database at a first computer, each token identifying ~~a disparate one of at least two program segments that form at least one of~~ an audio ~~[[and]]~~ or visual program;

receiving selection criteria from a second computer, the selection criteria represents a desired recording of a first user;

selecting at least one token based on the selection criteria;

sending a message to ~~a remote~~ the second computer, the message having the selected at least one token associated with the message; ~~and~~

sending a copy of the received token from the second computer to a third computer, the third computer is employed by a second user;

utilizing the token residing on the second computer to program a recording device associated with the second computer to record the audio/visual program; and

utilizing the copy of the token residing on the third computer to program a recording device associated with the third computer to record the audio/visual program represented by the token.

~~utilizing the at least two program segments to selectively combine tokens associated with each of the at least two program segments based at least in part upon viewing characteristics of a client system, viewing characteristics of the client system comprising at least one of age of viewer, time of day and type of show being viewed.~~

33. (Original) The method of claim 32 further including searching a program database for a token representing at least one of an audio and visual program corresponding to the selection criteria.

34. (Original) The method of claim 32, wherein the step of sending further includes sending the message to the remote computer based on address data provided by the second computer, the remote computer being different from the second computer.

35. (Original) The method of claim 32, wherein the remote computer and the second computer are the same.

36. (Original) The method of claim 32 further including updating the database at the first computer in response to an update request received at the first computer.

37. (Original) The method of claim 36 further including providing at least one of a token and updated programming data to a remote computer in response updating the database so as to modify program criteria for a program represented by a token previously provided to the remote computer.

38. (Original) The method of claim 32 wherein, in response to a translation request, a token is translated into programming data having a useable format for programming a remote recording system to record a predetermined at least one of an audio and visual program in a tuning space associated with the recording system.

39. (Original) The system of claim 32, wherein the message is a text email message, the selected token being operatively associated with the email message.

40. (Previously Presented) A system to facilitate remote programming of a recording system, comprising:

a server operable to receive a plurality of tokens each having data identifying at least one of a user and the recording system and identifying a plurality of segments of program data associated with one of an audio and visual program, the server being operable to communicate program data, based on the token, to a programmable recording system to effect programming of the recording system to record the at least one of an audio and visual program, the programmable recording system utilizes the plurality of tokens to selectively combine at least two of the plurality of program segments based at least in part upon viewing characteristics of a client system, viewing characteristics of the client system comprising at least one of age of viewer, time of day and type of show being viewed.

41. (Original) The system of claim 40, wherein the server is a first server, the token being provided as a request from a second server in response to a user selection associated with the at least one of an audio and visual program.

42. (Previously Presented) A system to facilitate remote programming of a recording system, comprising:

a first server operable to receive data indicative of a user selection, the first server providing a request to a second server, the request having data identifying at least one of the user and the recording system, the second server communicates program data corresponding to one of an audio and visual program in at least two segments, each segment associated with a disparate token;

and a programmable recording system that utilizes tokens associated with the at least two program segments to combine the at least two program segments based at least in part upon viewing characteristics of a client system, the viewing characteristics of the client system comprising at least one of age of a viewer, time of the day and type of show being viewed.

43. (Cancelled)

44. (Previously Presented) A user interface to facilitate remote programming of a recording system, comprising:

a selectable display portion associated with at least one of an audio and a visual program;
and

a process associated with the display portion to effect programming of a recording system to record the at least one of an audio and visual program in response to selection of the display portion, wherein the process is resident at a server operable to communicate at least two tokens each representing disparate segments of the at least one of an audio and visual program to the recording system based on the selection to effect programming of the recording system, the recording system utilizes the at least two tokens to selectively combine the disparate segments based at least on one of age of viewer, time of day and type of show being viewed.

45. (Cancelled)

46. (Currently Amended) A computer-implemented method comprising:
receiving program content criteria from a user via a communication link;
selecting program content based on the program content criteria received from the user;
associating each of at least two segments of the program content with disparate tokens,
each token containing an XML formatted block of data identifying the associated program segment;
utilizing tokens associated with the at least two program segments to selectively combine the at least two program segments based at least in part upon viewing characteristics of the user, viewing characteristics of the user comprising at least one of age of the user, time of day and type of show being viewed; and
transmitting the tokens to effect recording of a program corresponding to the program content.
47. (Previously Presented) The method of claim 46, wherein the tokens are transmitted to a computer associated with the user.
48. (Previously Presented) The method of claim 46, wherein the tokens are transmitted to a recording system.
49. (Previously Presented) The method of claim 46, wherein the tokens are transmitted to a server.
50. (Previously Presented) A computer-readable medium encoded with computer-executable instructions being executed by a processor for performing the steps of claim 46.

51. (Previously Presented) A computer-implemented method comprising:
- transmitting for display on a remote computer information about at least one of audio and visual content;
 - receiving from the user computer a selection of the content;
 - constructing a plurality of tokens, each token associated with one of a plurality of disparate segments of the content;
 - selectively combining at least two of the plurality of tokens based at least in part upon viewing characteristics of at least one user associated with the remote computer, the viewing characteristics comprising at least one of age of viewer, time of day and type of show being viewed; and
 - transmitting the at least two of the plurality of tokens to effect recording of a program.
52. (Previously Presented) The method of claim 51, wherein the tokens are transmitted to the remote computer.
53. (Previously Presented) The method of claim 51, wherein the tokens are transmitted to a recording system.
54. (Previously Presented) The method of claim 51, wherein the tokens are transmitted to a server.
55. (Original) The method of claim 51, wherein the step of receiving further includes receiving information identifying the user.
56. (Original) The method of claim 51, wherein the step of receiving further includes receiving information identifying a device associated with the user.
57. (Original) The method of claim 51, wherein the step of receiving further includes receiving information identifying a local tuning space and system configuration for a device.

58. (Previously Presented) A computer-readable medium encoded with computer-executable instructions being executed by a processor for performing the steps of claim 51.
59. (Currently Amended) A computer-implemented method comprising:
storing programming information;
receiving from a computer user information and information describing one of an audio and visual program;
using the stored programming information and the user information to construct tokens that include[[s]] information sufficient to program a recording system to record the one of audio and visual program, the one of audio and visual program comprising a plurality of program segments, each program segment corresponding to a disparate token;
selectively combining tokens associated with at least two of the plurality of program segments based at least in part upon viewing characteristics of the user, viewing characteristics comprising at least one of age of user, time of day and type of show being viewed; and
transmitting the tokens via a communication link.
60. (Original) The method of claim 59, wherein the computer is a remote computer.
61. (Original) The method of claim 60, wherein the remote computer is a portable computer.
62. (Original) The method of claim 59, wherein the computer is a server.
63. (Original) The method of claim 59, wherein the user information includes information identifying characteristics of a device associated with the user.
64. (Previously Presented) The method of claim 59, wherein the step of transmitting further includes transmitting the tokens to the computer.
65. (Previously Presented) The method of claim 59, wherein the step of transmitting further includes transmitting the tokens to a recording system.

66. (Previously Presented) The method of claim 59, wherein the step of transmitting further includes transmitting the tokens to a server.

67. (Previously Presented) A computer-readable medium encoded with computer-executable instructions being executed by a processor for performing the steps of claim 59.